THE CANADIAN ENTOMOLOGIST

Index to Volume 120 (1988)

SUPPLEMENTS AND MEMOIRS

THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

Alfaro, R.I. Laboratory feeding and colonization on non-host lodgepole pine by two populations of *Pissodes strobi* (Peck) (Coleoptera: Curculionidae), 167.
Allen, W.R. See Hagley and Allen, 917.
Arnason, J.T. See Fields *et al.*, 937.
Ascerno, M.E. See Swedenborg *et al.*, 1041.
Barton, D.L. See Pivnick *et al.*, 389.
Bauer, L.S., and G.L. Nordin. Pathogenicity of *Nosema fumiferanae* (Thomson) (Microsporida) in spruce budworm, *Choristoneura fumiferana* (Clemens), and implications of diapause conditions, 221.
Behan-Pelletier, V.M. Redefinition of *Zachvatkinibates* (Acari: Mycobatidae), with description of a new species and immatures of *Z. maritimus* Shaldybina 1973, 797.
Bergh, J.C., E.S. Eveleigh, and W.D. Seabrook. The mating status of field-collected male spruce budworm, *Choristoneura fumiferana* (Clem.) (Lepidoptera: Tortricidae), in relation to trap location, sampling method, sampling date, and adult emergence, 821.
Boiteau, G. Timing of insecticide applications for the control of the Colorado potato beetle, *Leptinotarsa decemlineata* (Say) (Coleoptera: Chrysomelidae), on potatoes in New Brunswick, 587.
Bousquet, Y. *Dyschirius* of America north of Mexico: descriptions of new species with keys to species groups and species (Coleoptera: Carabidae), 361.
Bracken, G.K. Seasonal occurrence of infestation potential of cabbage maggot, *Delia radicum* (L.) (Diptera: Anthomyiidae), attacking rutabaga in Manitoba as determined by captures of females in water traps, 609.
Braun, L., A.B. Ewen, and C. Gillott. The life cycle and ultrastructure of *Malameba locustae* (King and Taylor) (Amoebidae) in the migratory grasshopper *Melanoplus sanguinipes* (F.) (Acrididae), 759.
Braun, M.P. See Mukerji and Braun, 1147.
Brown, B.V. Additions to the phorid chapter in the "Manual of Nearctic Diptera, Volume 2" (Diptera: Phoridae), 307.
Burgess, L., and H.H. Weegar. Thrips (Thysanoptera) in canola crops in Saskatchewan, 815.
Byers, J.R. Wolly-bear caterpillars of *Grammia blakei* (Grt.) (Lepidoptera: Arctiidae) — an occasional pest of native range pastures and adjacent crops in southern Alberta and southwestern Saskatchewan, 927.
Byers, J.R., D.L. Struble, and G.B. Schaalje. Monitoring population levels on eight species of noctuids with sex-attractant traps in southern Alberta, 1978–1983: congruency of year-to-year fluctuations in intraspecific density shown by subsets of monitoring sites, 1071.
Campbell, J.M. New species and records of North American *Tachinus* Gravenhorst (Coleoptera: Staphylinidae), 231.
Carruthers, R.I. See Feng *et al.*, 133.
Chan, C.K. See Robinson and Chan, 699.
Charnetski, W.A. Toxicity of insecticides to the alfalfa leafcutter bee, *Megachile rotundata* F. (Hymenoptera: Megachilidae), established by three evaluation methods, 297.
Cherry, R.H. See Jansson *et al.*, 397.
Choi, S.-S. See Ishii and Choi, 711.
Clouâtre, A., D. Coderre, and D. Gagnon. The occurrence of *Cleruchus biciliatus* (Ferrière) in North America (Hymenoptera, Chalcidoidea: Mymaridae), 939.
Coderre, D. See Provencher *et al.*, 97.
See Clouâtre *et al.*, 939.
Cox, D.L., and D.A. Potter. Within-crown distributions of male and female bagworm (Lepidoptera: Psychidae) pupae on juniper as affected by host defoliation, 559.
Cranston, P.S., and D.R. Oliver. Additions and corrections to the Nearctic Orthocladiinae (Diptera: Chironomidae), 425.
Darling, D.C., and L. Packer. Effectiveness of Malaise traps in collecting Hymenoptera: the influence of trap design, mesh size, and location, 787.
DeClerck, R.A., and T.A. Steeves. Oviposition of the gall midge *Cystiphora sonchi* (Bremi) (Diptera: Cecidomyiidae) via the stomata of perennial sowthistle (*Sonchus arvensis* L.), 189.
DeGrandi-Hoffman, G. See Terry and DeGrandi-Hoffman, 1003.
Derby, J.L. See Peschken and Derby, 593.
Dethier, V.G. Induction and aversion-learning in polyphagous arctiid larvae (Lepidoptera) in an ecological setting, 125.
Dillon, M.E. See Oliver and Dillon, 463.
Dix, M.E. and E.W. Underhill. Sex pheromone of *Retinia metallica* (Busck) (Lepidoptera: Tortricidae): identification and field studies, 721.
Doane, J.F. See Mukerji *et al.*, 497.
Dohse, L.A., and J.N. McNeil. An intraspecific competition model for the leafminer, *Agromyza frontella* (Rondani), 779.
Dondale, C.D. See Provencher *et al.*, 97.
Dunn, J.P. , and D.A. Potter. Evidence for sexual attraction by the twolined chestnut borer, *Agrilus bilineatus* (Weber) (Coleoptera: Buprestidae), 1037.

Dybas, R.A. See Parrella *et al.*, 831.
Edwards, P.D. See Richards and Edwards, 1085.
Elliott, R.H. Evaluation of insecticides for protection of wheat against damage by the wheat midge, *Sitodiplosis mosellana* (Géhin) (Diptera: Cecidomyiidae), 615.
Factors influencing the efficacy and economic returns of aerial sprays against the wheat midge, *Sitodiplosis mosellana* (Géhin) (Diptera: Cecidomyiidae), 941.
Erlandson, M.A. See Moore and Erlandson, 989.
Erlandson, M.A., D.L. Johnson, and **O.O. Olfert.** *Entomophaga grylli* (Fresenius) infections in grasshopper (Orthoptera: Acrididae) populations in Saskatchewan and Alberta, 1985–1986, 205.
Eveleigh, E.S. See Bergh *et al.*, 821.
Ewen, A.B. See Braun *et al.*, 759.
Feng, Z., R.I. Carruthers, T.S. Larkin, and **D.W. Roberts.** A phenology model and field evaluation of *Beauveria bassiana* (Bals.) Vuillemin (Deuteromycotina: Hyphomycetes) mycosis of the European corn borer, *Ostrinia nubilalis* (Hbn.) (Lepidoptera: Pyralidae), 133.
Ferran, A. See Iperti *et al.*, 773.
Fields, P.G., J.T. Arnason, and **B.J.R. Philogène.** Distribution of *Chrysolina* spp. (Coleoptera: Chrysomelidae) in eastern Ontario, 18 years after their initial release, 937.
Finnamore, A.T. A new species of *Crabro* from arctic Yukon (Hymenoptera: Sphecoidea: Crabronidae), 859.
Foppe, T.M. See Pfadt *et al.*, 415.
Fraser, S. See Nealis and Fraser, 197.
Frazer, B.D., and **R.S Vernon.** STP® as an adhesive on traps used to monitor for alate green peach aphids, *Myzus persicae* (Sulzer) (Homoptera: Aphididae), 1059.
Gagnon, D. See Clouâtre *et al.*, 939.
Gassmann, A. See Müller *et al.*, 109.
Gillott, C. See Braun *et al.*, 759.
Gooding, R.H. Preliminary analysis of genetics of hybrid sterility in crosses of *Glossina palpalis palpalis* (Robineau-Desvoidy) and *Glossina palpalis gambiensis* Vanderplank, 997.
Graves, A.C.F. See Graves *et al.*, 647.
Graves, R.C., M.E. Krejci, and **A.C.F. Graves.** Geographic variation in the North American tiger beetle, *Cicindela hirticollis* Say, with a description of five new subspecies (Coleoptera: Cicindelidae), 647.
Greenslade, G. See Morris *et al.*, 867.
Guppy, J.C., F. Meloche, and **D.G. Harcourt.** Seasonal development, behavior, and host synchrony of *Dacnusa dryas* (Nixon) (Hymenoptera: Braconidae) parasitizing the alfalfa blotch leafminer, *Agromyza frontella* (Rondani) (Diptera: Agromyzidae), 145.
Haavisto, V.F. See Prevost *et al.*, 1113.
Hagley, E.A.C. See Trimble and Hagley, 101.
Hagley, E.A.C., and **W.R. Allen.** Ground beetles (Coleoptera: Carabidae) as predators of the codling moth, *Cydia pomonella* (L.) (Lepidoptera: Tortricidae), 917.
Harcourt, D.G. See Guppy *et al.*, 145.
Harder, L.D. See Laverty and Harder, 965.
Hayhoe, H.N. See Mukerji and Hayhoe, 1063.
Heie, O.E. See Remaudière *et al.*, 211.
Hendrickson, P.A. See Morris *et al.*, 867.
Hewitt, G.B., and **J.A. Onsager.** Effects of sagebrush removal and legume interseeding on rangeland grasshopper populations (Orthoptera: Acrididae), 753.
Howell, J.F. Spermatophore number in the codling moth *Cydia pomonella* (L.) (Lepidoptera: Olethreutidae), 701.
Huber, J.T., and **V.K. Rajakulendran.** Redescription of and host-induced antennal variation in *Anaphes iole* Girault (Hymenoptera: Mymaridae), an egg parasite of Miridae (Hemiptera) in North America, 893.
Iperti, G., L. Lapchin, A. Ferran, J.-M. Rabasse, and **J.-P. Lyon.** Sequential sampling of adult *Coccinella septempunctata* L. in wheat fields, 773.
Ishii, K. A new species of the genus *Monotarsobius* (Chilopoda: Lithobiidae) from Japan, 717.
On the significance of the mandible as a diagnostic character in the taxonomy of penicillate diplopods (Diplopoda: Polyxenidae), 955.
Ishii, K., and **S.-S. Choi.** A new species of the genus *Polyxenus* (Diplopoda: Penicillata: Polyxenidae) from Korea, 711.
Isman, M.B. See Millar and Isman, 45.
Jansson, R.K., S.H. Lecrone, and **R.H. Cherry.** Comparative toxicities of fonofos and phorate to different populations of *Melanotus communis* (Gyllenhal) (Coleoptera: Elateridae) in southern Florida, 397.
Jaques, R.P. Field tests on control of the imported cabbageworm (Lepidoptera: Pieridae) and the cabbage looper (Lepidoptera: Noctuidae) by mixtures of microbial and chemical insecticides, 575.
Jaques, R.P., and **D.R. Laing.** Effectiveness of microbial and chemical insecticides in control of the Colorado potato beetle (Coleoptera: Chrysomelidae) on potatoes and tomatoes, 1123.

Johnson, D.L. See Erlandson *et al.*, 205.
Jones, R.L. See Swedenborg *et al.*, 1041.
Kemp, W.P. See Sanchez *et al.*, 29.
Kononenko, V.S. See Lafontaine and Kononenko, 507.
See Lafontaine and Kononenko, 903.
Krejci, M.E. See Graves *et al.*, 647.
Kring, J.B. See Kring and Kring, 1079.
Kring, T.J., and **J.B. Kring.** Aphid fecundity, reproductive longevity, and parasite development in the *Schizaphis graminum* (Rondani) (Homoptera: Aphididae) – *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Braconidae) system, 1079.
Lafontaine, J.D., and **V.S. Kononenko.** A review of the genus *Parabarrovia* Gibson (Lepidoptera: Noctuidae) with description of the immature stages and a new species, 507.
A revision of the *Lasionycta skraelingia* (Herrich-Schäffer) species complex (Lepidoptera: Noctuidae), 903.
Laing, D.R. See Jaques and Laing, 1123.
Laing, J.E. See Prévost *et al.*, 1113.
Lalonde, R.G. See Shorthouse and Lalonde, 639.
Lamb, R.J. Susceptibility of low- and high-glucosinolate oilseed rapes to damage by flea beetles, *Phyllotreta* spp. (Coleoptera: Chrysomelidae), 195.
Landwehr, V.R. See Swedenborg *et al.*, 1041.
Lapchin, L. See Iperti *et al.*, 773.
Larkin, T.S. See Feng *et al.*, 133.
Laverty, T.M., and **L.D. Harder.** The bumble bees of eastern Canada, 965.
Lecrone, S.H. See Jansson *et al.*, 397.
Lee, D.A. Factors affecting mortality of the European corn borer, *Ostrinia nubilalis* (Hübner), in Alberta, 841.
LeSage, L. Notes on European *Longitarsus* species introduced in North America (Coleoptera: Chrysomelidae: Alticinae), 1133.
Linton, D.A. See Safranyik and Linton, 85.
Lockwood, J.A. See Pfadt *et al.*, 415.
Long, G.E. See Ramsay and Long, 993.
Lyon, J.-P. See Iperti *et al.*, 773.
Lysyk, T.J. See Nealis and Lysyk, 1101.
MacPhee, A., A. Newton, and **K.B. McRae.** Population studies on the winter moth *Operophtera brumata* (L.) (Lepidoptera: Geometridae) in apple orchards in Nova Scotia, 73.
Mandeville, J.D., B.A. Mullens, and **J.A. Meyer.** Rearing and host age suitability of *Fannia canicularis* (L.) (Diptera: Muscidae) for parasitization by *Muscidifurax zaraptor* Kogan and Legner (Hymenoptera: Pteromalidae), 153.
Marshall, D.B., D.J. Pree, and **B.D. McGarvey.** Effects of benzoylphenylurea insect growth regulators on eggs and larvae of the spotted tentiform leafminer *Phyllonorycter blancardella* (Fabr.) (Lepidoptera: Gracillariidae), 49.
Mathewes, R.W. See Walker and Mathewes, 739.
McGarvey, B.D. See Marshall *et al.*, 49.
McNeil, J.N. See Dohse and McNeil, 779.
McRae, K.B. See MacPhee *et al.*, 73.
See Morris *et al.*, 867.
Meloche, F. See Guppy *et al.*, 145.
Meyer, J.A. See Mandeville *et al.*, 153.
Millar, J.G. See Pivnick *et al.*, 389.
Millar, K.V., and **M.B. Isman.** The effects of a spunbonded polyester row cover on cauliflower yield loss caused by insects, 45.
Moeck, H.A. A bucket emergence trap for cortocolous insects, 855.
Moore, K.C., and **M.A. Erlandson.** Isolaton of *Aspergillus parasiticus* Speare and *Beauveria bassiana* (Bals.) Vuillemin from melanopline grasshoppers (Orthoptera: Acrididae) and demonstration of their pathogenicity in *Melanoplus sanguinipes* (Fabricius), 989.
Morris, R.F., B.G. Penney, G. Greenslade, P.A. Hendrickson, and **K.B. McRae.** Notes on the occurrence, distribution, population levels, and control of *Grapholita libertina* Heinr. (Lepidoptera: Tortricidae), a pest of lingonberries in Newfoundland, 867.
Mukerji, M.K., and **M.P. Braun.** Effect of low temperatures on mortality of grasshopper eggs (Orthoptera: Acrididae), 1147.
Mukerji, M.K., and **H.N. Hayhoe.** Probability analysis of fluctuations of grasshopper populations in Saskatchewan, 1063.
Mukerji, M.K., O.O. Olfert, and **J.F. Doane.** Development of sampling designs for egg and larval populations of the wheat midge, *Sitodiplosis mosellana* (Géhin) (Diptera: Cecidomyiidae), in wheat, 497.

Mullens, B.A. See Mandeville *et al.*, 153.

Müller, H., D. Schroeder, and **A. Gassmann.** *Agapeta zoegana* (L.) (Lepidoptera: Cochylidae), a suitable prospect for biological control of spotted and diffuse knapweed, *Centaurea maculosa* Monnet de la Marck and *Centaurea diffusa* Monnet de la Marck (Compositae) in North America, 109.

Naranjo, S.E., and **A.J. Sawyer.** A temperature- and age-dependent simulation model of reproduction for the northern corn rootworm, *Diabrotica barberi* Smith and Lawrence (Coleoptera: Chrysomelidae), 1.

Nealis, V.G., and **S. Fraser.** Rate of development, reproduction, and mass-rearing of *Apanteles fumiferanae* Vier. (Hymenoptera: Braconidae) under controlled conditions, 197.

Nealis, V.G., and **T.J. Lysyk.** Sampling overwintering jack pine budworm, *Choristoneura pinus pinus* Free. (Lepidoptera: Tortricidae), and two of its parasitoids (Hymenoptera), 1101.

Neuenschwander, P. See Sullivan and Neuenschwander, 63.

Newton, A. See MacPhee *et al.*, 73.

Niwa, C.G. Parasites and predators associated with the ponderosa pine tip moth, *Rhyacionia zozana* (Kearfott) (Lepidoptera: Tortricidae), in California and Oregon, 881.

Nordin, G.L. See Bauer and Nordin, 221.

Olfert, O.O. See Erlandson *et al.*, 205.
See Mukerji *et al.*, 497.

Oliver, D.R. See Cranston and Oliver, 425.

Oliver, D.R., and **M.E. Dillon.** Review of *Cricotopus* (Diptera: Chironomidae) of the Nearctic arctic zone with description of two new species, 463.

Olofsson, E. Persistence and dispersal of the nuclear polyhedrosis virus of *Neodiprion sertifer* (Geoffroy) (Hymenoptera: Diprionidae) in a virus-free lodgepole pine plantation in Sweden, 887.

O'Neil, R.J. Predation by *Podisus maculiventris* (Say) on Mexican bean beetle, *Epilachna varivestis* Mulsant, in Indiana soybeans, 161.
A model of predation by *Podisus maculiventris* (Say) on Mexican bean beetle, *Epilachna varivestis* Mulsant, in soybeans, 601.

Onsager, J.A. See Sanchez *et al.*, 29.
See Sanchez and Onsager, 39.
See Hewitt and Onsager, 753.

Owen, R.E. Body size variation and optimal body size of bumble bee queens (Hymenoptera: Apididae), 19.

Packer, L. See Darling and Packer, 787.

Parrella, M.P., K.L. Robb, J.K. Virzi, and **R.A. Dybas.** Analysis of the impact of abamectin on *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae), 831.

Parshall, D.K. See Troubridge and Parshall, 679.

Penney, B.G. See Morris *et al.*, 867.

Peschken, D.P., and **J.L. Derby.** Host specificity of *Liriomyza sonchi* Hendel (Diptera: Agromyzidae), a potential biological agent for the control of weedy sowthistles, *Sonchus* spp., in Canada, 593.

Pfadt, R.E., J.A. Lockwood, and **T.M. Foppe.** Diets of three common grasshoppers (Orthoptera: Acrididae) inhabiting desert grassland, 415.

Philogène, B.J.R. See Fields *et al.*, 937.

Pivnick, K.A. Wing colouration difference between the Bruce spanworm *Operophtera bruceata* (Hulst) (Lepidoptera: Geometridae) and the winter moth *Operophtera brumata* (L.) on Vancouver Island, 697.

Pivnick, K.A., D.L. Barton, J.G. Millar, and **E.W. Underhill.** Improved pheromone trap exclusion of the Bruce spanworm *Operophtera bruceata* (Hulst) (Lepidoptera: Geometridae) when monitoring winter moth *Operophtera brumata* (L.) populations, 389.

Plowright, R.C. See Sutcliffe and Plowright, 1051.

Poirier, D.G., and **G.A. Surgeoner.** Evaluation of a field bioassay technique to predict the impact of aerial applications of forestry insecticides on stream invertebrates, 627.

Potter, D.A. See Cox and Potter, 559.
See Dunn and Potter, 1037.

Pree, D.J. See Marshall *et al.*, 49.

Prévost, Y.H., J.E. Laing, and **V.F. Haavisto.** Seasonal damage by insects and squirrels to female reproductive structures of black spruce, *Picea mariana* (Mill.) B.S.P., 1113.

Provancher, L., D. Coderre, and **C.D. Dondale.** Spiders (Araneae) in corn fields in Quebec, 97.

Quednau, F.W. See Remaudière *et al.*, 211.

Quednau, F.W., and **G.C. Shaposhnikov.** A list of drepanosiphine aphids from the Soviet Far East, with descriptions of new species (Homoptera: Aphidoidea), 1017.

Rabasse, J.-M. See Iperti *et al.*, 773.

Rajakulendran, V.K. See Huber and Rajakulendran, 893.

Ralley, W.E. Oviposition behavior and the egg of *Acrocera orbicula* (Feb.) (Diptera: Acroceridae), 95.

Ramsay, C.A., and **G.E. Long.** Survival of larch casebearers, *Coleophora laricella* (Hubner), on foliage of eight seedling conifers, 993.

Rappaport, N.G. *Lacinipolia patalis* Grote (Lepidoptera: Noctuidae) infesting Douglas-fir cones: a new host record, 1033.

Remaudière, G., F.W. Quednau, and **O.E. Heie**. Un nouveau *Tinocallis* sur *Ulmus*, originaire d'Asie centrale et semblable à *T. saltans* (Nevsky) (Homoptera: Aphididae), 211.

Richards, K.W., and **P.D. Edwards.** Density, diversity, and efficiency of pollinators of sainfoin, *Onobrychis viciaefolia* Scop., 1085.

Robb, K.L. See Parrella *et al.*, 831.

Roberts, D.W. See Feng *et al.*, 133.

Robinson, A.G. Two new species of *Uroleucon* (Homoptera: Aphididae) from Pennsylvania, 581.

Robinson, A.G., and **C.K. Chan.** The correct host plants of the aphid *Aulacorthum pterinigrum* Richards (Homoptera: Aphididae), 699.

Ryan, R.B. Evidence for mortality in addition to successful parasitism of needlemining larch casebearer (Lepidoptera: Coleophoridae) larvae by *Agathis pumila* (Ratz.) (Hymenoptera: Braconidae), 1035.

Safranyik, L. Estimating attack and brood totals and densities of the mountain pine beetle in individual lodgepole pine trees, 323.

Safranyik, L., and **D.A. Linton.** Distribution of attacks on spruce stumps by the spruce beetle, *Dendroctonus rufipennis* (Kirby) (Coleoptera: Scolytidae), and effects on the length of egg galleries, 85.

Sanchez, N.E., and **J.A. Onsager.** Life history parameters in *Melanoplus sanguinipes* (F.) in two crested wheatgrass pastures, 39.

Sanchez, N.E., J.A. Onsager, and **W.P. Kemp.** Fecundity of *Melanoplus sanguinipes* (F.) in two crested wheatgrass pastures, 29.

Sanders, C.J. Monitoring spruce budworm population density with sex pheromone traps, 175.

Sawyer, A.J. See Naranjo and Sawyer, 1.

Schaalje, G.B. See Byers *et al.*, 1071.

Schroeder, D. See Müller *et al.*, 109.

Seabrook, W.D. See Bergh *et al.*, 821.

Shaposhnikov, G.C. See Quednau and Shaposhnikov, 1017.

Shorthouse, J.D. Occurrence of two gall wasps of the genus *Diplolepis* (Hymenoptera: Cynipidae) on the domestic shrub rose, *Rosa rugosa* Thunb. (Rosaceae), 727.

Shorthouse, J.D., and **R.G. Lalonde.** Role of *Urophora cardui* (L.) (Diptera, Tephritidae) in growth and development of its gall on stems of Canada thistle, 639.

Sinclair, B.J. The madicolous Tipulidae (Diptera) of eastern North America, with descriptions of the biology and immature stages of *Dactylolabis montana* (Osten Sacken) and *D. hudsonica* Alexander (Diptera: Tipulidae), 569.

Smetana, A. Revision of the subfamily Xantholininae of America north of Mexico (Coleoptera: Staphylinidae). Supplementum 1, 525.

Steeves, T.A. See DeClerck and Steeves, 189.

Struble, D.L. See Byers *et al.*, 1071.

Sullivan, D.J., and **P. Neuenschwander.** Melanization of eggs and larvae of the parasitoid, *Epidinocarsis lopezi* (De Santis) (Hymenoptera: Encyrtidae), by the cassava mealybug, *Phenacoccus manihoti* Matile-Ferrero (Homoptera: Pseudococcidae), 63.

Surgeoner, G.A. See Poirier and Surgeoner, 627.

Sutcliffe, G.H., and **R.C. Plowright.** The effects of food supply on adult size in the bumble bee *Bombus terricola* Kirby (Hymenoptera: Apidae), 1051.

Swedenborg, P.D., R.L. Jones, M.E. Ascerno, and **V.E. Landwehr.** *Hylurgopinus rufipes* (Eichhoff) (Coleoptera: Scolytidae): attraction to broodwood, host colonization behavior, and seasonal activity in central Minnesota, 1041.

Terry, L.I., and **G. DeGrandi-Hoffman.** Monitoring western flower thrips (Thysanoptera: Thripidae) in "Granny Smith" apple blossom clusters, 1003.

Togashi, I., and **N. Yoshida**. Injury to *Pinus pumila* Regel by the larvae of *Cephalcia variegata* Takeuchi and *Gilpinia daisetusana* Takeuchi in Japan, with a description of the larvae and life history of *Cephalcia variegata* (Hymenoptera: Diprionidae, Pamphiliidae), 185.

Trimble, R.M., and **E.A.C. Hagley.** Evaluation of mass trapping for controlling the spotted tentiform leafminer, *Phyllonorycter blancardella* (Fabr.) (Lepidoptera: Gracillariidae), 101.

Troubridge, J.T., and **D.K. Parshall.** A review of the *Oeneis polixenes* (Fabricius) (Lepidoptera: Satyrinae) complex in North America, 679.

Turnock, W.J. Density, parasitism, and disease incidence of larvae of the bertha armyworm, *Mamestra configurata* Walker (Lepidoptera: Noctuidae), in Manitoba, 1973–1986, 401.

Underhill, E.W. See Pivnick *et al.*, 389.
See Dix and Underhill, 721.

Vernon, R.S. See Frazer and Vernon, 1059.

Virzi, J.K. See Parrella *et al.*, 831.

Walker, I.R., and **R.W. Mathewes.** Late-Quaternary fossil Chironomidae (Diptera) from Hippa Lake, Queen Charlotte Islands, British Columbia, with special reference to *Corynocera* Zett., 739.

Weegar, H.H. See Burgess and Weegar, 815.
Weseloh, R.M. Prey preferences of *Calosoma sycophanta* L. (Coleoptera: Carabidae) larvae and relationship of prey consumption to predator size, 873.
Wharton, R.A. Classification of the braconid subfamily Opiinae (Hymenoptera), 333.
Yoshida, N. See Togashi and Yoshida, 185.